

## WEST Search History

[Hide Items](#)[Restore](#)[Clear](#)[Cancel](#)

DATE: Monday, July 17, 2006

<b>Hide?</b>	<b>Set Name</b>	<b>Query</b>	<b>Hit Count</b>
		<i>DB=USPT; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L5	L4 AND methylotrophic	14
<input type="checkbox"/>	L4	L3 AND yeast	45
<input type="checkbox"/>	L3	L2 AND glycosylation	53
<input type="checkbox"/>	L2	(Ryckaert)OR(Contreras)OR(Vervecken)OR(Kaigorodov)	2287
<input type="checkbox"/>	L1	Stefan Ryckaert or Vera Martens or Kristof De Vusser or Roland Contreras	978228

END OF SEARCH HISTORY

A service of the National Library of Medicine  
and the National Institutes of Health

www.pubmed.gov

My NCBI [?] [Sign In] [Register]

All Databases

PubMed

Nucleotide

Protein

Genome

Structure

OMIM

PMC

Journals

Books

Search PubMed for OCH1 gene Go Clear Save Search

Limits

Preview/Index

History

Clipboard

Details

Display Summary Show 20 Sort by Send to

About Entrez

Text Version

All: 26 Review: 0

Items 1 - 20 of 26

Page 1 of 2 Next

## Entrez PubMed

Overview

Help | FAQ

Tutorials

New/Noteworthy  
E-Utilities

## PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

Special Queries

LinkOut

My NCBI

## Related Resources

Order Documents

NLM Mobile

NLM Catalog

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

- ☐ 1: [Kim MW, Kim EJ, Kim JY, Park JS, Oh DB, Shimma Y, Chiba Y, Jigami Y, Rhee SK, Kang HA.](#) Related Articles, Links

Functional characterization of the Hansenula polymorpha HOC1, OCH1, and OCR1 genes as members of the yeast OCH1 mannosyltransferase family involved in protein glycosylation.

J Biol Chem. 2006 Mar 10;281(10):6261-72. Epub 2006 Jan 10.

PMID: 16407250 [PubMed - indexed for MEDLINE]

- ☐ 2: [Ryckaert S, Martens V, De Vusser K, Contreras R.](#) Related Articles, Links

Development of a *S. cerevisiae* whole cell biocatalyst for in vitro sialylation of oligosaccharides.

J Biotechnol. 2005 Oct 10;119(4):379-88.

PMID: 15982773 [PubMed - indexed for MEDLINE]

- ☐ 3: [Barnay-Verdier S, Boisrame A, Beckerich JM.](#) Related Articles, Links

Identification and characterization of two alpha-1,6-mannosyltransferases, Anl1p and Och1p, in the yeast *Yarrowia lipolytica*.

Microbiology. 2004 Jul;150(Pt 7):2185-95.

PMID: 15256561 [PubMed - indexed for MEDLINE]

- ☐ 4: [Davidson RC, Nett JH, Renfer E, Li H, Stadheim TA, Miller BJ, Miele RG, Hamilton SR, Choi BK, Mitchell TI, Wildt S.](#) Related Articles, Links

Functional analysis of the ALG3 gene encoding the Dol-P-Man: Man5GlcNAc2-PP-Dol mannosyltransferase enzyme of *P. pastoris*.

Glycobiology. 2004 May;14(5):399-407. Epub 2004 Mar 19.

PMID: 15033937 [PubMed - indexed for MEDLINE]

- ☐ 5: [Corbacho I, Olivero I, Hernandez LM.](#) Related Articles, Links

Identification of low-dye-binding (ldb) mutants of *Saccharomyces cerevisiae*.

FEMS Yeast Res. 2004 Jan;4(4-5):437-44.

PMID: 14734024 [PubMed - indexed for MEDLINE]

- ☐ 6: [Lisman Q, Pomorski T, Vogelzangs C, Urli-Stam D, de Cocq van Delwijnen W, Holthuis JC.](#) Related Articles, Links

Protein sorting in the late Golgi of *Saccharomyces cerevisiae* does not require mannosylated sphingolipids.

J Biol Chem. 2004 Jan 9;279(2):1020-9. Epub 2003 Oct 28.

PMID: 14583628 [PubMed - indexed for MEDLINE]


- ☐ 7: [Yamamoto K, Okamoto M, Yoko-o T, Jigami Y.](#) Related Articles, Links

Salt stress induces the expression of *Schizosaccharomyces pombe* och1+, which encodes an initiation-specific alpha-1,6-mannosyltransferase for N-linked outer chain synthesis of cell wall mannoproteins.

Biosci Biotechnol Biochem. 2003 Apr;67(4):927-9.  
PMID: 12784644 [PubMed - indexed for MEDLINE]


☐ 8: [Kim DW.](#)

[Related Articles](#), [Links](#)

 **Characterization of Grp1p, a novel cis-Golgi matrix protein.**  
Biochem Biophys Res Commun. 2003 Mar 28;303(1):370-8.  
PMID: 12646213 [PubMed - indexed for MEDLINE]


☐ 9: [Yamamoto K, Jigami Y.](#)

[Related Articles](#), [Links](#)

 **Mutation of TRS130, which encodes a component of the TRAPP II complex, activates transcription of OCH1 in *Saccharomyces cerevisiae*.**  
Curr Genet. 2002 Nov;42(2):85-93. Epub 2002 Nov 16.  
PMID: 12478387 [PubMed - indexed for MEDLINE]


☐ 10: [Li S, Dean S, Li Z, Horecka J, Deschenes RJ, Fassler JS.](#)

[Related Articles](#), [Links](#)

 **The eukaryotic two-component histidine kinase Sln1p regulates OCH1 via the transcription factor, Skn7p.**  
Mol Biol Cell. 2002 Feb;13(2):412-24.  
PMID: 11854400 [PubMed - indexed for MEDLINE]


☐ 11: [Cui Z, Horecka J, Jigami Y.](#)

[Related Articles](#), [Links](#)

 **Cdc4 is involved in the transcriptional control of OCH1, a gene encoding alpha-1,6-mannosyltransferase in *Saccharomyces cerevisiae*.**  
Yeast. 2002 Jan 15;19(1):69-77.  
PMID: 11754484 [PubMed - indexed for MEDLINE]


☐ 12: [Peyroche A, Courbeyrette R, Rambourg A, Jackson CL.](#)

[Related Articles](#), [Links](#)

 **The ARF exchange factors Gea1p and Gea2p regulate Golgi structure and function in yeast.**  
J Cell Sci. 2001 Jun;114(Pt 12):2241-53.  
PMID: 11493664 [PubMed - indexed for MEDLINE]


☐ 13: [Yoko-o T, Tsukahara K, Watanabe T, Hata-Sugi N, Yoshimatsu K, Nagasu T, Jigami Y.](#)

[Related Articles](#), [Links](#)

 **Schizosaccharomyces pombe och1(+) encodes alpha-1,6-mannosyltransferase that is involved in outer chain elongation of N-linked oligosaccharides.**  
FEBS Lett. 2001 Jan 26;489(1):75-80.  
PMID: 11231017 [PubMed - indexed for MEDLINE]


☐ 14: [Cullen PJ, Schultz J, Horecka J, Stevenson BJ, Jigami Y, Sprague GF Jr.](#)

[Related Articles](#), [Links](#)

 **Defects in protein glycosylation cause SHO1-dependent activation of a STE12 signaling pathway in yeast.**  
Genetics. 2000 Jul;155(3):1005-18.  
PMID: 10880465 [PubMed - indexed for MEDLINE]


☐ 15: [Lee BN, Elion EA.](#)

[Related Articles](#), [Links](#)

 **The MAPKKK Ste11 regulates vegetative growth through a kinase cascade of shared signaling components.**  
Proc Natl Acad Sci U S A. 1999 Oct 26;96(22):12679-84.  
PMID: 10535982 [PubMed - indexed for MEDLINE]

☐ 16: [Burland V, Shao Y, Perna NT, Plunkett G, Sofia HJ, Blattner FR.](#)

[Related Articles](#), [Links](#)

 **The complete DNA sequence and analysis of the large virulence plasmid of *Escherichia coli* O157:H7.**  
Nucleic Acids Res. 1998 Sep 15;26(18):4196-204.  
PMID: 9722640 [PubMed - indexed for MEDLINE]

☐ 17: [Hashimoto H, Yoda K.](#)

[Related Articles](#), [Links](#)

**Novel membrane protein complexes for protein glycosylation in the yeast Golgi apparatus.**

Biochem Biophys Res Commun. 1997 Dec 29;241(3):682-6.  
PMID: 9434768 [PubMed - indexed for MEDLINE]

- ☐ **18:** [Nakayama K, Nakanishi-Shindo Y, Tanaka A, Haga-Toda Y, Jigami Y.](#)

[Related Articles, Links](#)

**Substrate specificity of alpha-1,6-mannosyltransferase that initiates N-linked mannose outer chain elongation in *Saccharomyces cerevisiae*.**

FEBS Lett. 1997 Aug 4;412(3):547-50.  
PMID: 9276464 [PubMed - indexed for MEDLINE]

- ☐ **19:** [Beeler TJ, Fu D, Rivera J, Monaghan E, Gable K, Dunn TM.](#)

[Related Articles, Links](#)

**SUR1 (CSG1/BCL21), a gene necessary for growth of *Saccharomyces cerevisiae* in the presence of high Ca<sup>2+</sup> concentrations at 37 degrees C, is required for mannosylation of inositolphosphorylceramide.**

Mol Gen Genet. 1997 Aug;255(6):570-9.  
PMID: 9323360 [PubMed - indexed for MEDLINE]

- ☐ **20:** [Neiman AM, Mhaiskar V, Manus V, Galibert F, Dean N.](#)

[Related Articles, Links](#)

***Saccharomyces cerevisiae* HOC1, a suppressor of *pkc1*, encodes a putative glycosyltransferase.**

Genetics. 1997 Mar;145(3):637-45.  
PMID: 9055074 [PubMed - indexed for MEDLINE]

Items 1 - 20 of 26

Page

1

of 2 Next

Display

Summary

Show

20

Sort by

Send to

[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)

Jul 11 2006 06:31:05



A service of the National Library of Medicine  
and the National Institutes of Health

My NCBI [2]  
[Sign In] [Register]

All Databases PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Books  
Search PubMed for OCH1 gene Go Clear Save Search

Limits Preview/Index History Clipboard Details  
Display Summary Show 20 Sort by Send to

All: 26 Review: 0

Items 21 - 26 of 26

Previous Page 2 of 2

About Entrez

Text Version

Entrez PubMed

Overview  
Help | FAQ  
Tutorials

New/Noteworthy  
E-Utilities

PubMed Services

Journals Database  
MeSH Database  
Single Citation Matcher  
Batch Citation Matcher  
Clinical Queries  
Special Queries  
LinkOut  
My NCBI

Related Resources

Order Documents  
NLM Mobile  
NLM Catalog  
NLM Gateway  
TOXNET  
Consumer Health  
Clinical Alerts  
ClinicalTrials.gov  
PubMed Central

☐ 21: [Hartley AD, Bogaerts S, Garrett S.](#) Related Articles, Links

cAMP inhibits bud growth in a yeast strain compromised for Ca<sup>2+</sup> influx into the Golgi.  
Mol Gen Genet. 1996 Jul 19;251(5):556-64.  
PMID: 8709962 [PubMed - indexed for MEDLINE]

☐ 22: [Huang ME, Manus V, Chuat JC, Galibert F.](#) Related Articles, Links

Analysis of a 62 kb DNA sequence of chromosome X reveals 36 open reading frames and a gene cluster with a counterpart on chromosome XI.  
Yeast. 1996 Jul;12(9):869-75.  
PMID: 8840504 [PubMed - indexed for MEDLINE]

☐ 23: [Lehle L, Eiden A, Lehnert K, Haselbeck A, Kopetzki E.](#) Related Articles, Links

Glycoprotein biosynthesis in *Saccharomyces cerevisiae*: ngd29, an N-glycosylation mutant allelic to och1 having a defect in the initiation of outer chain formation.  
FEBS Lett. 1995 Aug 14;370(1-2):41-5.  
PMID: 7649302 [PubMed - indexed for MEDLINE]

☐ 24: [Nakanishi-Shindo Y, Nakayama K, Tanaka A, Toda Y, Jigami Y.](#) Related Articles, Links

Structure of the N-linked oligosaccharides that show the complete loss of alpha-1,6-polymannose outer chain from och1, och1 mnn1, and och1 mnn1 alg3 mutants of *Saccharomyces cerevisiae*.  
J Biol Chem. 1993 Dec 15;268(35):26338-45.  
PMID: 8253757 [PubMed - indexed for MEDLINE]

☐ 25: [Nakayama K, Nagasu T, Shimma Y, Kuromitsu J, Jigami Y.](#) Related Articles, Links

OCH1 encodes a novel membrane bound mannosyltransferase: outer chain elongation of asparagine-linked oligosaccharides.  
EMBO J. 1992 Jul;11(7):2511-9.  
PMID: 1628616 [PubMed - indexed for MEDLINE]

☐ 26: [Nagasu T, Shimma Y, Nakanishi Y, Kuromitsu J, Iwama K, Nakayama K, Suzuki K, Jigami Y.](#) Related Articles, Links

Isolation of new temperature-sensitive mutants of *Saccharomyces cerevisiae* deficient in mannose outer chain elongation.  
Yeast. 1992 Jul;8(7):535-47.  
PMID: 1523886 [PubMed - indexed for MEDLINE]

Items 21 - 26 of 26

Previous Page 2 of 2

Display Summary Show 20 Sort by Send to

Write to the Help Desk

NCBI | NLM | NIH

Department of Health & Human Services